

Product: ISORAPID® OP-Forte AF

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: ISORAPID® OP-Forte AF
 UFI: FP00-D06P-900W-CTV4
 Substance type: Mixture
 Use of the substance/mixture: Surface disinfectant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: ISORAPID® OP-Forte AF is a disinfectant concentrate for the disinfection of non-invasive medical devices with sensitive surfaces such as radiology equipment. ISORAPID® OP-Forte AF is compatible with acrylic glass, polycarbonate (PC), and PVC. It is free of aldehydes, phenols, and caustic potash.

Uses advised against: Do not use for purposes other than those prescribed.

Recommended restrictions on use: For professional use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Address: United Disinfectant Manufacturers AG
 Dr. Grass-Strasse 12
 9490 Vaduz
 Liechtenstein

Telephone: +423 237 15 03

Email: info@udm.li

Website: www.udm.li

Downstream user/importer/distributor

Address: United Disinfectant Manufacturers AG
 Dr. Grass-Strasse 12
 9490 Vaduz
 Liechtenstein

Telephone: +423 237 15 03

Email: info@udm.li

Website: www.udm.li

Person responsible for preparing the SDS

Lee Moi Wong | Research & Development | Chief Research Officer (CRO)
 Telephone: +423 237 15 03
 Email: info@udm.li

1.4 Emergency telephone number

Emergency telephone number: 112

* Please check the above numbers regularly as they might be subject to change.

Product: ISORAPID® OP-Forte AF

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Hazard type	Hazard category	Hazard statement code(s)	Classification procedure
Health hazard	Skin Irrit. 2	H315	On basis of test data.
Environmental hazard	Aquatic Acute 1	H400	Harmonised (legal) classification.
Environmental hazard	Aquatic Chronic 2	H411	Harmonised (legal) classification.

The full text for all H-statements is displayed in section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms:



GHS07



GHS09

Signal word:	Warning
Hazard statements:	H315 Causes skin irritation. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements:	P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing. P391 Collect spillage. P501 Dispose of contents/container in accordance with local and national regulations.
Supplemental information:	Not applicable.

2.3 Other hazards

PBT or vPvB properties:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

See below.

3.2 Mixtures

Classification according to Regulation (EC) No 1272/2008

Substance name	Identification	Classification	SCL, M-factor, ATE	Concentration
Alkyl (C12-16) dimethylbenzyl ammonium chloride	CAS no.: 68424-85-1 EC no.: 939-253-5	Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M = 10, M (chronic) = 1	5% - < 15%

Product: ISORAPID® OP-Forte AF

	Index no.: No data available. REACH no.: 01-2119965180-41-0000	Eye Dam. 1, H318 Skin Corr. 1B, H314		
Didecyldimethylammonium chloride	CAS no.: 7173-51-5 EC no.: 230-525-2 Index no.: 612-131-00-6 REACH no.: 01-2119945987-15-0000	Acute Tox. 4, H302 Skin Corr. 1B, H314	No data available.	2.5% - < 5%
(R)-p-Mentha-1,8-diene	CAS no.: 5989-27-5 EC no.: 227-813-5 Index no.: 601-029-00-7 REACH no.: 01-2119529223-47-0000	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317	No data available.	< 1%

The full text for all H-statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General notes:	Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. When in doubt or if feeling unwell seek medical assistance. Show the safety data sheet and label to the physician. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. When it is suspected, that there may still be harmful vapours/fumes present in the air, respiratory protection (mask; self contained breathing apparatus) must be used. Wash contaminated clothing with water before removing or use gloves.
After inhalation:	Remove patient to fresh air - move out of dangerous area. In case of unconsciousness bring patient into stable side position and seek medical attention. If breathing is irregular or respiratory arrest occurs provide artificial respiration. Keep at rest in a position comfortable for breathing. Seek medical help immediately.
After contact with skin:	Take off all contaminated clothing. Areas of the body that have come into contact with the product must be rinsed with water. Immediately obtain professional medical help.
After contact with eyes:	Immediately flush eyes with running water, keeping eyelids apart. After 5 minutes of rinsing, remove contact lenses, if present, and continue rinsing. Consult a physician immediately.
After ingestion:	Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Immediately consult a doctor. Show the physician the safety data sheet or label.

4.2 Most important symptoms and effects, both acute and delayed

See section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:	Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.
Unsuitable extinguishing media:	Full water jet.

Product: ISORAPID® OP-Forte AF

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting: In case of a fire toxic gases can be generated; do not inhale gases/smoke.
Hazardous combustion products: No data available.

5.3 Advice for firefighters

Special protective equipment for firefighters: Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (BS EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (BS EN 137).
Additional information: In case of fire or heating do not breathe fumes/vapours. No action shall be taken involving any personal risk or without suitable training. Prolonged heating can cause an explosion. Vapours can form explosive mixtures with air. Cool containers at risk with water spray. If possible remove containers from endangered area. Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Use personal protective equipment (section 8). Ensure adequate ventilation. Keep away from sources of ignition and/or heat; No smoking. No action shall be taken involving any personal risk or without suitable training. Prevent access to unprotected personnel. Evacuate the danger zone. Do not breathe vapour or mist. Avoid contact with skin, eyes and clothing.
Advice for emergency responders: Use personal protective equipment.

6.2 Environmental precautions

Do not allow to enter drains or waterways. Prevent product from getting into subsoil/soil.

6.3 Methods and material for containment and cleaning up

Stem the spill if this does not pose risks. Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Use only explosion-proof instruments and equipment. Use spark-proof tools. Prevent release into the sewer, water, basements or confined areas. Ventilate the premises. Clean contaminated area with plenty of water.

6.4 Reference to other sections

See also sections 7, 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

General advice: Use general or local exhaust ventilation to prevent inhaling vapours and aerosols. Do not discharge into drains, surface water and soil. After use immediately close container tightly.
Instructions for protection against fire and explosion: Ensure adequate ventilation. Keep away from sources of ignition - no smoking. Use spark-proof tools. Take precautionary measures against static discharges. Vapours are heavier than air and spread along the floor. They form explosive mixtures with air.
Advice on general occupational Use good personal hygiene practices – wash hands at breaks and when done

Product: ISORAPID® OP-Forte AF

hygiene: working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist. Avoid contact with skin, eyes and clothes. Remove contaminated clothes and wash them before reuse. Wear suitable protective equipment; see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage room and containers: Close opened containers after use. Put the containers upright to prevent from leaking. Do not store in unlabelled containers.

Further information about storage conditions: Keep in a cool, dry and well ventilated place. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising substances. Keep away from sources of ignition - no smoking. Store only in original container.

Stocking with different products: Store separately from beverages, food and feed. Store separately from strong acids, bases and oxidation agents.

7.3 Specific end use(s)

See identified uses in section 1.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

Biological limit values

No biological exposure limits noted for the ingredient(s).

DNEL values

Substance name	Pattern of exposure	Route of exposure	Limit value
Alkyl (C12-16) dimethylbenzyl ammonium chloride CAS no.:68424-85-1	No threshold derived.	No threshold derived.	No threshold derived.
Didecyltrimethylammonium chloride CAS no.:7173-51-5	No threshold derived.	No threshold derived.	No threshold derived.
(R)-p-Mentha-1,8-diene CAS no.:5989-27-5	Worker (long term, systemic effects)	Inhalation	66.7 mg/m ³
	Consumer (long term, systemic effects)	Inhalation	16.6 mg/m ³
	Worker (long term, systemic effects)	Dermal	9.5 mg/kg bw/day
	Consumer (long term, systemic effects)	Dermal	4.8 mg/kg bw/day
	Consumer (long term, systemic effects)	Oral	4.8 mg/kg bw/day

PNEC values

Substance name	Route of exposure	Limit value
Alkyl (C12-16) dimethylbenzyl ammonium chloride CAS no.:68424-85-1	Fresh water	420 ng/L
	Marine water	96 ng/L
	Intermittent release (fresh water)	160 ng/L
	Intermittent release (marine water)	207 ng/L
	Sewage treatment plant	160 µg/L
	Sediment (fresh water)	68 mg/kg dw
	Sediment (marine water)	15.75 mg/kg dw
	Soil	1.66 mg/kg dw
Didecyltrimethylammonium chloride CAS no.:7173-51-5	Fresh water	1.1 µg/L
	Marine water	110 ng/L
	Intermittent release (fresh water)	210 ng/L

Product: ISORAPID® OP-Forte AF

	Intermittent release (marine water)	21 ng/L
	Sewage treatment plant	140 µg/L
	Sediment (fresh water)	61.86 mg/kg dw
	Sediment (marine water)	6.186 mg/kg dw
	Soil	1.4 mg/kg dw
(R)-p-Mentha-1,8-diene CAS no.:5989-27-5	Fresh water	14 µg/L
	Marine water	1.4 µg/L
	Sewage treatment plant	1.8 mg/L
	Sediment (fresh water)	3.85 mg/kg dw
	Sediment (marine water)	385 µg/kg dw
	Soil	763 µg/kg dw
	Secondary poisoning	133 mg/kg food

8.2 Exposure controls

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures

Eye/face protection:	Wear protective glasses (EN 166) during refilling and/or preparation of working solution and during use.
Hand protection:	Short-term contact: Gloves with Protection Index of at least Class 2 (EN 374, permeation time > 30 min) for substances of Classes G and K. Long-term contact: Gloves with Protection Index of at least Class 6 (EN 374, permeation time > 480 min) for substances of Classes G and K. (Class G: amines; Class K: inorganic bases).
Body protection:	Apron and work shoes or boots. Emergency responders should wear appropriate body protection.
Respiratory protection:	Avoid aerosol formation. Use respiratory protection if aerosol is formed.
Thermal hazards:	No data available.
Hygiene measures:	Use good personal hygiene practices – wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothes. Do not eat, drink or smoke while working. Do not breathe vapours/aerosols.

Environmental exposure controls

Observe the usual precautions for handling chemicals. Do not empty concentrate into drains. Avoid releasing the concentrate to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Form:	Clear, slightly viscous liquid
Colour:	Green
Odour:	Lemon
Melting point:	No data available.
Freezing point:	No data available.
Boiling point or initial boiling point and boiling range:	No data available.
Flammability:	The product is not flammable.
Lower explosion limit:	Not applicable.
Upper explosion limit:	Not applicable.
Flash point:	No data available.

Product: ISORAPID® OP-Forte AF

Auto-ignition temperature:	Not self-igniting.
Decomposition temperature:	Not applicable.
pH-value (undiluted product):	6.0 - 8.0
pH-value (diluted product):	6.0 - 8.0 (1%)
Kinematic viscosity:	No data available.
Solubility:	Completely miscible with water.
Partition coefficient n-octanol/water:	Not applicable.
Vapour pressure at 50 °C:	No data available.
Density:	0.99 g/cm ³
Relative density:	0.99
Relative vapour density at 20 °C:	No data available.

9.2 Other information

Oxidising properties:	Not oxidising.
Explosive properties:	Product is not explosive.
Evaporation rate:	No data available.
Miscibility:	Completely miscible with water.
Other information:	No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

The mixture is not reactive.

10.2 Chemical stability

Stable at normal temperatures and pressure at least up to the expiry date printed on the container.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Avoid conditions beyond those mentioned in section 7.

10.5 Incompatible materials

No specific materials to avoid during intended use.

10.6 Hazardous decomposition products

No dangerous decomposition products occur under normal storage and use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation:	Information on effects are given below.
Skin contact:	Information on effects are given below.

Product: ISORAPID® OP-Forte AF

Eye contact:	Information on effects are given below.
Ingestion:	Information on effects are given below.
Acute toxicity	
Mixture:	ATEmix: LD50 (rat, ingestion) > 2000 mg/kg
Component:	No data available.
Skin corrosion/irritation	
Mixture:	Irritating to skin.
Component:	No data available.
Serious eye damage/irritation	
Mixture:	No irritation is expected.
Component:	No data available.
Respiratory or skin sensitization	
Mixture:	The product is not classified as sensitising.
Component:	No data available.
Germ cell mutagenicity	
Mixture:	Not a mutagen. Does not contain ingredients with known mutagenic properties.
Component:	No data available.
Carcinogenicity	
Mixture:	Does not contain ingredients with known carcinogenic properties.
Component:	No data available.
Reproductive toxicity	
Mixture:	This product contains no ingredients with known reproductive toxicity effects.
Component:	No data available.
STOT-single exposure	
Mixture:	This product exhibits no known STOT-single exposure.
Component:	No data available.
STOT-repeated exposure	
Mixture:	This product exhibits no known STOT-repeated exposure.
Component:	No data available.
Aspiration hazard	
Mixture:	This product exhibits no known aspiration hazard.
Component:	No data available.

11.2 Information on other hazards

Endocrine disrupting properties

Mixture:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Component:	No data available.

Other hazards

Mixture:	No data available.
Component:	No data available.

Product: ISORAPID® OP-Forte AF

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

The release of the diluted ready-to-use solution of this product is not expected to have any ecotoxic effects. The concentrated solution can have prolonged and widespread toxic effects on aquatic and terrestrial organisms. The release of concentrated solution may negatively affect the function of sewage treatment plants. There is no data available from ecotoxicological tests regarding the entire product. The ecotoxicological risk has been estimated based on available data on product ingredients and concentrations, where available.

12.2 Persistence and degradability

The product ingredients possess good biodegradation properties. The surfactants included in the product comply with the requirements for the biological decomposition of Regulation (EC) No. 648/2004 on detergents. Based on available data, the biodegradability in sewage treatment plants can be categorized as high. High product concentrations can affect the biodegradability potential of the activated sludge. Obtain the consent of the local authorities before discharging the concentrated solution to wastewater treatment plants.

Substance name	Biodegradation	Basis	Remark
Alkyl (C12-16) dimethylbenzyl ammonium chloride	Ca. 60%	OECD 301 D, 28 D	Readily biodegradable.
Didecylidimethylammonium chloride	Ca. 60%	OECD 301 D	Readily biodegradable.
(R)-p-Mentha-1,8-diene	No data available.	No data available.	No data available.

12.3 Bioaccumulative potential

Mixture: Based on available data, no product ingredient is expected to exhibit bioaccumulative potential.

Component: No data available.

12.4 Mobility in soil

Mixture: The product is not expected to be mobile over long distances because most of the product ingredients possess good biodegradability. The remaining ingredients (e.g. mineral salts) are absorbed into the soil without negative ecological effects. This product reduces the surface tension of water. Because of possible aquatic toxicity, speedy decontamination measures must be taken if there is a danger of large quantities entering the ground water or water systems.

Component: No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

The product contains no ingredients with ozone depletion potential or global warming potential. The product contains no heavy metals or their compounds as defined in 2006/11/EG. The product contains no absorbable organic halogens (AOX) or volatile organic compounds (VOC).

SECTION 13: DISPOSAL CONSIDERATIONS

Product: ISORAPID® OP-Forte AF

13.1 Waste treatment methods

Disposal methods:	Dispose of this product according to national and regional provisions. Waste code EWC Nr: 070699 (Group: waste material of MFSU from fats, lubricants, soaps, detergents, disinfectants and personal protection products). The correctly diluted ready-to-use solution of this product can be disposed of via the sewage system. Small amounts of the product (up to about 100 ml per day) can be disposed of via the sewage system after dilution 1:30 with tap water.
Contaminated packaging:	Empty packaging can be treated like household waste or recycled after cleaning with water. Handle the packaging containing the product in the same way as the product itself. Where available, references to local regulations regarding disposal are given in section 15 of the SDS. The user has sole responsibility for acquaintance and compliance with the applicable regulations.

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/ADN/RID)

14.1 UN number

UN 3082

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyl (C12-16) dimethylbenzyl ammonium chloride, Didecyltrimethylammonium chloride)

14.3 Transport hazard class(es)

9

14.4 Packing group

III | Danger label: 9 | LQ: 5 L

14.5 Environmental hazards

Environmental hazards: Yes

14.6 Special precautions for user

See sections 6 to 8.

Sea transport (IMDG/IMO)

14.1 UN number

UN 3082

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyl (C12-16) dimethylbenzyl ammonium chloride, Didecyltrimethylammonium chloride)

14.3 Transport hazard class(es)

9

14.4 Packing group

III | Danger label: 9 | LQ: 5 L

Product: ISORAPID® OP-Forte AF

14.5 Environmental hazards

Environmental hazards: Yes
Marine pollutant: Yes

14.6 Special precautions for user

See sections 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Air transport (IATA)

14.1 UN number

UN 3082

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alkyl (C12-16) dimethylbenzyl ammonium chloride, Didecyldimethylammonium chloride)

14.3 Transport hazard class(es)

9

14.4 Packing group

III | Danger label: 9 | LQ: 5 L

14.5 Environmental hazards

Environmental hazards: Yes

14.6 Special precautions for user

See sections 6 to 8.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The product has been classified and marked in accordance with Regulation (EC) No.1272/2008 (CLP). The product complies with requirements of Regulation (EC) No. 1907/2006 (REACH), Regulation (EC) No. 648/2004 (Detergents Regulation), Regulation (EU) No. 528/2012 (Biocides Regulation), Directive 93/42/EC (Medical Devices Directive), and Regulation (EU) No. 2017/745 on medical devices (MDR), if applicable.

15.2 Chemical safety assessment

No chemical safety assessment was carried out for this product.

SECTION 16: OTHER INFORMATION

Indication of changes

1.2 Relevant identified uses of the substance or mixture and uses advised against - Updated.

Product: ISORAPID® OP-Forte AF

1.3 Details of the supplier of the safety data sheet - Updated.

8.2 Exposure controls - Updated.

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road

ASTM - American Society for Testing and Materials

AwSV - Ordinance on facilities for handling substances that are hazardous to water

BOD - Biochemical Oxygen Demand

c.c. - Closed cup

CAS - Chemical Abstract Services

CESIO - European Committee of Organic Surfactants and their Intermediates

COD - Chemical Oxygen Demand

DMEL - Derived Minimum Effect Level

DNEL - Derived No Effect Level

EbC50 - Median concentration in terms of reduction of growth

EC - Effective concentration

EINECS - European Inventory of Existing Commercial Chemical Substances

EN - European Norm

ErC50 - Median concentration in terms of reduction of growth rate

GGVSEB - German ordinance for road, rail and inland waterway transportation of dangerous goods

GGVSee - German ordinance for sea transportation of dangerous goods

GLP - Good Laboratory Practice

GMO - Genetic Modified Organism

IATA - International Air Transport Association

ICAO - International Civil Aviation Organization

IMDG - International Maritime Dangerous Goods

ISO - International Organization For Standardization

LD/LC - Lethal dose/concentration

LOAEL - Lowest Observed Adverse Effect Level

LOEL - Lowest Observed Effect Level

LQ - Limited Quantity

M-Factor - Multiplying factor

NOAEL - No Observed Adverse Effect Level

NOEC - No Observed Effect Concentration

NOEL - No Observed Effect Level

o.c. - Open cup

OECD - Organisation for Economic Cooperation and Development

OEL - Occupational Exposure Limit

PBT - Persistent, bioaccumulative, toxic

PNEC - Predicted No Effect Concentration

REACH - REACH registration

RID - Convention concerning International Carriage by Rail

SVHC - Substances of Very High Concern

TA - Technical Instructions

TRGS - Technical Rules for Hazardous Substances

vPvB - Very persistent, very bioaccumulative

WGK - Water Hazard Class

Key literature references and sources for data

No data available.

Product: ISORAPID® OP-Forte AF

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard category	Hazard statement code(s)	Classification procedure
Skin Irrit. 2	H315	On basis of test data.
Aquatic Acute 1	H400	Harmonised (legal) classification.
Aquatic Chronic 2	H411	Harmonised (legal) classification.

List of relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Training information

Comply with national laws regulating employee instruction.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.